## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

## LISTING OF CLAIMS:

## 1-15 (cancelled)

- 16. (new) Arrangement of at least one heat-insulation layer
  (3) on a carrier body (2) for preventing heat transfer between
  the carrier body (2) and a surrounding area (7) of the carrier
  body (2), where
- the heat-insulation layer (3) displays at least one luminescent substance which can be excited with the aid of excitation light having a specific excitation wavelength to emit a luminescent light having a specific luminescence wavelength, and where
- at least one further heat-insulation layer (5) is present which is essentially free of the luminescent substance, characterized in that
- the further heat-insulation layer (5) is essentially opaque with respect to the excitation light for exciting the emission of luminescent light and/or with respect to the luminescent light of the luminescent substance.
- 17. (new) Arrangement according to claim 16, where the heat-insulation layer (3) is arranged between the carrier body (2) and the further heat-insulation layer (5) in such a way that the luminescent light of the luminescent substance can essentially only reach the surrounding area (7) of the carrier body (2) through apertures (6) in the further heat-insulation layer (5).

- 18. (new) Arrangement according to claim 16, where the luminescent substance displays at least one metal oxide with at least one trivalent metal A.
- 19. (new) Arrangement according to claim 16, where the luminescent substance displays an activator selected from the cerium and/or europium and/or dysprosium and/or terbium group for exciting the emission of the luminescent light.
- 20. (new) Arrangement according to claim 19, where the activator is contained in the luminescent substance in a proportion of up to 10 mol%.
- 21. (new) Arrangement according to claim 18, where the metal oxide comprises a mixed oxide selected from the perovskite group with the empirical formula  $AA'O_3$  and/or pyrochlore group with the empirical formula  $A_2B_2O_7$ , where A' comprises a trivalent metal and B comprises a tetravalent metal.
- 22. (new) Arrangement according to claim 21, where the trivalent metal A and/or the trivalent metal A' comprises a rare earth element Re.
- 23. (new) Arrangement according to claim 22, where the trivalent metal A and/or the trivalent metal A' comprises a rare earth element selected from the lanthanum and/or gadolinium and/or samarium group.
- 24. (new) Arrangement according to claim 21, where the perovskite comprises a rare earth aluminate.
- 25. (new) Arrangement according to claim 24, where the empirical formula of the rare earth aluminate comprises  $Gd_{0.25} La_{0.75} A10_3$ .

- 26. (new) Arrangement according to claim 21, where the pyrochlore is selected from the rare earth hafnate and/or rate earth titanate and/or rare earth zirconate group.
- 27. (new) Arrangement according to claim 26, where the rare earth zirconate is selected from the gadolinium zirconate and/or samarium zirconate group.
- 28. (new) Arrangement according to claim 26, where the rare earth hafnate comprises lanthanum hafnate.
- 29. (new) Arrangement according to claim 16, where the carrier body comprises a component of an internal combustion engine.
- 30. (new) Arrangement according to claim 29, where the internal combustion engine comprises a gas turbine.
- 31. (new) Arrangement according to claim 17, where the luminescent substance displays at least one metal oxide with at least one trivalent metal A.
- 32. (new) Arrangement according to claim 19, where the metal oxide comprises a mixed oxide selected from the perovskite group with the empirical formula  $AA'O_3$  and/or pyrochlore group with the empirical formula  $A_2B_2O_7$ , where A' comprises a trivalent metal and B comprises a tetravalent metal.
- 33. (new) Arrangement according to claim 20, where the metal oxide comprises a mixed oxide selected from the perovskite group with the empirical formula  $AA'O_3$  and/or pyrochlore group with the empirical formula  $A_2B_2O_7$ , where A' comprises a trivalent metal and B comprises a tetravalent metal.